



Reciprocity Failure Medium Format

KENTMERE PAN 100

METERED	ADJUSTED	METERED	ADJUSTED
1 sec	1 sec	30 sec	72 sec
2 sec	3 sec	45 sec	120 sec
4 sec	6 sec	60 sec	180 sec
8 sec	14 sec	90 sec	290 sec
15 sec	30 sec	120 sec	416 sec

KENTMERE PAN 400

METERED	ADJUSTED	METERED	ADJUSTED
1 sec	1 sec	30 sec	83 sec
2 sec	3 sec	45 sec	140 sec
4 sec	6 sec	60 sec	205 sec
8 sec	15 sec	90 sec	347 sec
15 sec	35 sec	120 sec	505 sec

BERGGER PANCRO 400

METERED	ADJUSTED	METERED	ADJUSTED
1 sec	1 sec	15 sec	40 sec
2 sec	3 sec	30 sec	90 sec
4 sec	6 sec	60 sec	3 min 40 sec
8 sec	15 sec	120 sec	8 mins

FOMAPAN (ISO 100)

METERED	ADJUSTED	METERED	ADJUSTED
1 sec	2 sec	6 sec	40 sec
2 sec	7 sec	7 sec	50 sec
3 sec	14 sec	8 sec	60 sec
4 sec	21 sec	9 sec	70 sec
5 sec	30 sec	10 sec	80 sec

FOMAPAN (ISO 400)

METERED	ADJUSTED	METERED	ADJUSTED
1 sec	2 sec	6 sec	31 sec
2 sec	6 sec	7 sec	38 sec
3 sec	12 sec	8 sec	45 sec
4 sec	18 sec	9 sec	53 sec
5 sec	25 sec	10 sec	60 sec

ROLLEI SUPERPAN 200 (ISO 6 + R72)

METERED	ADJUSTED	METERED	ADJUSTED
1 sec	2 sec	15 sec	60 sec
2 sec	4 sec	30 sec	3 mins
4 sec	8 sec	60 sec	6 mins
8 sec	24 sec	120 sec	12 mins