

## **FPP X-RAY (ISO 10/5)**

METERED	ADJUSTED
< 4 sec	+ 0 EV
5 - 8 sec	+ 1/2 EV
> 8 sec	+ 1 EV

## **FPP FRANKENSTEIN (ISO 200)**

METERED	ADJUSTED
< 1/2 sec	+ 0 EV
1 to 10 sec	+ 1.5 EV
11 to 99 sec	+ 3 EV
> 100 sec	+ 4 EV

## **ROLLEI IR 400 (ISO 6 + R72)**

METERED	ADJUSTED
< 1/2 sec	0 EV
1 sec	2 sec
2 sec	4sec
4 sec	8 sec
8 sec	24 sec
15 sec	60 sec
30 sec	180 sec



# Reciprocity Failure 4x5 Sheet Film

## FOMAPAN (ISO 100)

METERED	ADJUSTED	METERED	ADJUSTED
1 sec	2 sec	6 sec	40 sec
2 sec	7 sec	7 sec	50 sec
3 sec	14 sec	8 sec	60 sec
4 sec	21 sec	9 sec	70 sec
5 sec	30 sec	10 sec	80 sec

## FOMAPAN (ISO 400)

METERED	ADJUSTED	METERED	ADJUSTED
1 sec	2 sec	6 sec	31 sec
2 sec	6 sec	7 sec	38 sec
3 sec	12 sec	8 sec	45 sec
4 sec	18 sec	9 sec	53 sec
5 sec	25 sec	10 sec	60 sec

## ADOX CHS 100 II (ISO 100)

METERED	ADJUSTED	METERED	ADJUSTED
2 sec	3 sec	15 sec	45 sec
4 sec	8 sec	30 sec	120 sec
8 sec	20 sec	60 sec	6m 30 sec



# Reciprocity Failure

## 4x5 Sheet Film

### SHANGHAI GP3 (ISO 100)

METERED	ADJUSTED	METERED	ADJUSTED
1 sec	2 sec	15 sec	68 sec
2 sec	5 sec	20 sec	99 sec
3 sec	8 sec	25 sec	132 sec
4 sec	12 sec	30 sec	167 sec
5 sec	16 sec	35 sec	204 sec
6 sec	21 sec	40 sec	243 sec
7 sec	25 sec	45 sec	283 sec
8 sec	30 sec	50 sec	325 sec
9 sec	35 sec	55 sec	368 sec
10 sec	40 sec	60 sec	412 sec

### ILFORD DELTA 100 (ISO 100)

METERED	ADJUSTED	METERED	ADJUSTED
1 sec	1 sec	15 sec	30 sec
2 sec	3 sec	20 sec	43 sec
3 sec	4 sec	30 sec	72 sec
4 sec	6 sec	40 sec	104 sec
5 sec	8 sec	50 sec	138 sec
10 sec	18 sec	60 sec	173 sec